

Same Day Shipment

Solid Carbide Gendrills

**0.0394" Dia. To 0.1094" Dia.**

**TIALN FUTURA COATING ALL NEW FOR 2020**

**2020 NEW  
PART #'s**

Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.0394	5	201010S	166.00	145.00	141.00	137.00	↑
<b>1.0mm</b>							
0.0472	5	201030S	166.00	145.00	141.00	137.00	↑
<b>1.2mm</b>							
0.0550	6	200682S	132.00	117.00	113.00	110.00	1/2"
	8	201051S	139.00	124.00	121.00	117.00	
0.0591	6	201080S	132.00	117.00	113.00	110.00	Dia.
<b>1.5mm</b>	8	201081S	139.00	124.00	121.00	117.00	
0.0625	6	200683S	132.00	117.00	113.00	110.00	2"
<b>1/16"</b>	8	201101S	139.00	124.00	121.00	117.00	
	10	200687S	146.00	129.00	126.00	123.00	L O N G
0.0700	6	200684S	137.00	122.00	118.00	114.00	
	8	201131S	144.00	127.00	124.00	121.00	
	10	201132S	150.00	132.00	129.00	127.00	T A P E R E D
0.0781	6	200685S	137.00	122.00	118.00	114.00	
<b>5/64"</b>	8	201151S	144.00	127.00	124.00	121.00	
	10	200688S	150.00	132.00	129.00	127.00	U N D E R C U T
0.0787	6	201170S	137.00	122.00	118.00	114.00	
<b>2mm</b>	8	201171S	144.00	127.00	124.00	121.00	
	10	201172S	150.00	132.00	129.00	127.00	U N D E R C U T
0.0890	6	201200S	143.00	126.00	123.00	120.00	
<b>#43</b>	8	201201S	149.00	131.00	129.00	126.00	
	10	201202S	156.00	138.00	134.00	131.00	U N D E R C U T
0.0937	6	200686S	143.00	126.00	123.00	120.00	
<b>3/32"</b>	8	201221S	149.00	131.00	129.00	126.00	
	10	200692S	156.00	138.00	134.00	131.00	U N D E R C U T
0.0984	6	201250S	143.00	126.00	123.00	120.00	
<b>2.5mm</b>	8	201251S	149.00	131.00	129.00	126.00	
	10	201252S	156.00	138.00	134.00	131.00	U N D E R C U T
0.0995	6	201255S	143.00	126.00	123.00	120.00	
<b>#39</b>	8	201256S	149.00	131.00	129.00	126.00	
	10	201257S	156.00	138.00	134.00	131.00	U N D E R C U T
0.1015	6	201260S	143.00	126.00	123.00	120.00	
<b>#38</b>	8	201261S	149.00	131.00	129.00	126.00	
	10	201262S	156.00	138.00	134.00	131.00	U N D E R C U T
0.1065	6	201265S	143.00	126.00	123.00	120.00	
<b>#36</b>	8	201266S	149.00	131.00	129.00	126.00	
	10	201267S	156.00	138.00	134.00	131.00	U N D E R C U T
0.1094	6	200693S	143.00	126.00	123.00	120.00	
<b>7/64"</b>	8	201271S	149.00	131.00	129.00	126.00	
	10	200694S	156.00	138.00	134.00	131.00	↓

**ADVANTAGES**

**Increased Rigidity    Faster Feed Rates  
Improved Tool Life    Better Oil Flow**

Solid Carbide Gendrills are constructed of one piece of carbide. Greater rigidity and lack of torque while in the cut, yields faster feed rates, 2-3 times faster than conventional 3-piece construction tools. Solid Carbide tools are available in diameters from .0394" to .3125". Larger diameters are also available for certain applications, made to order. Stocking arrangements can be made upon request

Solid Carbide Gundrills

**0.1181" Dia. To 0.3125" Dia.**

**TIALN FUTURA COATING ALL NEW FOR 2020**

**2020 NEW  
PART #'s**

Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.1181	6	201300S	143.00	126.00	123.00	120.00	↑
<b>3mm</b>	8	201301S	149.00	131.00	129.00	126.00	
	10	201302S	156.00	138.00	134.00	131.00	
0.1250	6	200696S	143.00	126.00	123.00	120.00	↑
<b>1/8"</b>	8	201341S	149.00	131.00	129.00	126.00	
	10	200697S	156.00	138.00	134.00	131.00	
	12	201343S	159.00	141.00	137.00	133.00	1/2"
0.1378	8	201381S	149.00	131.00	129.00	126.00	Dia.
<b>3.5mm</b>	10	201382S	156.00	138.00	134.00	131.00	
0.1406	8	201411S	149.00	131.00	129.00	126.00	x
<b>9/64"</b>	10	201412S	156.00	138.00	134.00	131.00	
	12	201413S	159.00	141.00	137.00	133.00	
0.1562	8	201441S	143.00	126.00	123.00	120.00	2"
<b>5/32"</b>	10	201442S	156.00	138.00	134.00	131.00	
	12	201443S	159.00	141.00	137.00	133.00	
0.1575	8	201471S	143.00	126.00	123.00	120.00	L
<b>4mm</b>	10	201472S	156.00	138.00	134.00	131.00	
	12	201473S	159.00	141.00	137.00	133.00	
0.1719	8	201501S	147.00	130.00	128.00	123.00	O
<b>11/64"</b>	10	201502S	154.00	135.00	132.00	129.00	
	12	201503S	163.00	142.00	138.00	134.00	
0.1875	10	201532S	154.00	135.00	132.00	129.00	N
<b>3/16"</b>	12	201533S	163.00	142.00	138.00	134.00	
0.1968	10	201572S	156.00	138.00	134.00	131.00	G
<b>5mm</b>	12	201573S	163.00	142.00	138.00	134.00	
0.2031	10	201602S	156.00	138.00	134.00	131.00	T
<b>13/64"</b>	12	201603S	163.00	142.00	138.00	134.00	
0.2187	10	201632S	156.00	138.00	134.00	131.00	A
<b>7/32"</b>	12	201633S	163.00	142.00	138.00	134.00	
0.2344	10	201662S	161.00	142.00	138.00	134.00	P
<b>15/64"</b>	12	201663S	169.00	148.00	144.00	141.00	
0.2362	10	201692S	161.00	142.00	138.00	134.00	E
<b>6mm</b>	12	201693S	169.00	148.00	144.00	141.00	
0.2500	10	201722S	197.00	174.00	170.00	166.00	D
<b>1/4"</b>	12	201723S	208.00	181.00	176.00	172.00	
0.2656	10	201742S	218.00	172.00	167.00	159.00	U
<b>17/64"</b>	12	201743S	230.00	182.00	177.00	170.00	
0.2812	10	201772S	239.00	193.00	188.00	184.00	N
<b>9/32"</b>	12	201773S	251.00	204.00	198.00	191.00	
0.2969	10	201802S	261.00	215.00	210.00	202.00	D
<b>19/64"</b>	12	201803S	273.00	226.00	221.00	213.00	
0.3125	10	201852S	284.00	236.00	232.00	224.00	↓
<b>5/16"</b>	12	201853S	294.00	247.00	242.00	234.00	

