

# PRICE LIST

Stock Gundrills

Same Day Shipment

Kidney Coolant Hole

## 0.0781" Dia. To 0.1890" Dia.



Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.0781	6	112758	91.00	82.00	74.00	67.00	↑
<b>5/64"</b>	10	112759	125.00	113.00	102.00	92.00	
0.0810	6	100534	100.00	90.00	81.00	73.00	↑
<b>#46</b>	10	100535	125.00	113.00	102.00	92.00	
0.0820	6	100006	100.00	90.00	81.00	73.00	↑
<b>#45</b>	10	112475	125.00	113.00	102.00	92.00	
0.0860	6	100007	100.00	90.00	81.00	73.00	↑
<b>#44</b>	10	104708	125.00	113.00	102.00	92.00	
0.0890	6	100008	100.00	90.00	81.00	73.00	↑
<b>#43</b>	10	112476	125.00	113.00	102.00	92.00	
0.0937	6	112764	105.00	95.00	86.00	78.00	1/2" Dia.
<b>3/32"</b>	10	112765	132.00	119.00	108.00	98.00	
	12	111110	137.00	124.00	112.00	101.00	1 1/2" L
	16	112766	137.00	124.00	112.00	101.00	
0.0960	6	100536	105.00	95.00	86.00	78.00	O
<b>#41</b>	10	100537	132.00	119.00	108.00	98.00	
0.0980	6	100538	105.00	95.00	86.00	78.00	N
<b>#40</b>	10	100539	132.00	119.00	108.00	98.00	
0.0995	6	100540	105.00	95.00	86.00	78.00	T
<b>#39</b>	10	100541	132.00	119.00	108.00	98.00	
0.1015	6	100017	105.00	95.00	86.00	78.00	A
<b>#38</b>	10	100542	132.00	119.00	108.00	98.00	
0.1040	6	100019	105.00	95.00	86.00	78.00	P
<b>#37</b>	10	100020	132.00	119.00	108.00	98.00	
0.1065	6	100021	105.00	95.00	86.00	78.00	E
<b>#36</b>	10	100543	132.00	119.00	108.00	98.00	
0.1094	6	112767	105.00	95.00	86.00	78.00	D
<b>7/64"</b>	10	112768	132.00	119.00	108.00	98.00	
	12	111520	137.00	124.00	112.00	101.00	E
	16	112769	137.00	124.00	112.00	101.00	
0.1110	6	100025	105.00	95.00	86.00	78.00	C
<b>#34</b>	10	100026	132.00	119.00	108.00	98.00	
0.1130	6	100027	105.00	95.00	86.00	78.00	U
<b>#33</b>	10	100028	132.00	119.00	108.00	98.00	
0.1160	6	100029	105.00	95.00	86.00	78.00	T
<b>#32</b>	10	100030	132.00	119.00	108.00	98.00	
0.1181	6	100031	126.00	114.00	103.00	93.00	↓
<b>3mm</b>	10	100544	105.00	95.00	86.00	78.00	
	16	112477	132.00	119.00	108.00	98.00	↓
0.1200	6	100033	105.00	95.00	86.00	78.00	
<b>#31</b>	10	100034	132.00	119.00	108.00	98.00	↓
0.1250	10	112773	89.00	73.00	68.00	63.00	
<b>1/8"</b>	12	111112	95.00	80.00	72.00	66.00	↑
	16	112774	96.00	80.00	73.00	67.00	
	22	112775	106.00	86.00	80.00	73.00	↑
	28	112776	110.00	89.00	83.00	75.00	
	36	100666	113.00	91.00	85.00	79.00	3/4" Dia.
0.1285	10	100545	89.00	75.00	70.00	63.00	
<b>#30</b>	16	100546	85.00	82.00	74.00	67.00	x
	22	100547	106.00	89.00	82.00	73.00	
	28	111776	110.00	91.00	85.00	75.00	2 3/4"
0.1360	10	100548	91.00	79.00	71.00	64.00	
<b>#29</b>	16	100549	100.00	83.00	75.00	68.00	↓
	22	100550	107.00	90.00	83.00	74.00	
0.1406	10	112778	91.00	79.00	71.00	64.00	↓
<b>9/64"</b>	12	111530	98.00	82.00	74.00	67.00	
	16	112779	100.00	83.00	75.00	68.00	↓
	22	112780	107.00	90.00	83.00	74.00	

Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.1440	10	100047	89.00	75.00	69.00	63.00	↑
<b>#27</b>	16	100048	95.00	81.00	73.00	66.00	
	22	100049	103.00	86.00	80.00	70.00	↑
0.1470	10	100551	89.00	75.00	69.00	63.00	
<b>#26</b>	16	100552	95.00	81.00	73.00	66.00	↑
	22	100052	103.00	86.00	80.00	70.00	
0.1495	10	100553	89.00	75.00	69.00	63.00	↑
<b>#25</b>	16	100554	96.00	82.00	74.00	67.00	
	22	100555	103.00	86.00	80.00	70.00	3/4" Dia.
0.1520	10	100056	89.00	75.00	69.00	63.00	
<b>#24</b>	16	100057	96.00	82.00	74.00	67.00	x
	22	100058	103.00	86.00	80.00	70.00	
0.1562	10	112781	86.00	73.00	67.00	59.00	2 3/4" L
<b>5/32"</b>	12	111114	89.00	74.00	69.00	61.00	
	16	112782	90.00	75.00	70.00	63.00	O
	22	112783	97.00	83.00	75.00	68.00	
	28	112784	103.00	87.00	80.00	71.00	N
	36	114079	109.00	91.00	84.00	74.00	
0.1575	10	112785	87.00	73.00	68.00	61.00	T
<b>4mm</b>	16	112786	91.00	79.00	71.00	64.00	
	22	112787	100.00	84.00	76.00	68.00	A
0.1590	10	100068	87.00	73.00	68.00	61.00	
<b>#21</b>	16	100069	91.00	79.00	71.00	64.00	P
	22	100070	100.00	84.00	76.00	68.00	
0.1610	10	100071	87.00	73.00	68.00	61.00	E
<b>#20</b>	16	100072	91.00	79.00	71.00	64.00	
	22	100073	100.00	84.00	76.00	68.00	R
0.1660	10	100074	87.00	73.00	68.00	61.00	
<b>#19</b>	16	100075	91.00	79.00	71.00	64.00	U
	22	100076	100.00	84.00	76.00	68.00	
0.1719	10	112788	87.00	73.00	68.00	61.00	N
<b>11/64"</b>	12	111540	90.00	76.00	70.00	63.00	
	16	112789	91.00	79.00	71.00	64.00	D
	22	112790	100.00	84.00	76.00	68.00	
0.1730	10	100556	87.00	73.00	68.00	59.00	C
<b>#17</b>	16	100557	91.00	78.00	71.00	64.00	
	22	100085	98.00	83.00	75.00	68.00	U
0.1770	10	100558	87.00	73.00	68.00	59.00	
<b>#16</b>	16	100559	91.00	78.00	71.00	64.00	N
	22	100088	98.00	83.00	75.00	68.00	
0.1800	10	100089	87.00	73.00	68.00	59.00	D
<b>#15</b>	16	100090	91.00	78.00	71.00	64.00	
	22	100091	98.00	83.00	75.00	68.00	C
0.1820	10	100092	87.00	73.00	68.00	59.00	
<b>#14</b>	16	100093	91.00	78.00	71.00	64.00	U
	22	100094	98.00	83.00	75.00	68.00	
0.1850	10	100095	87.00	73.00	68.00	59.00	T
<b>#13</b>	16	100096	91.00	78.00	71.00	64.00	
	22	100097	98.00	83.00	75.00	68.00	C
0.1875	10	112791	81.00	69.00	63.00	56.00	
<b>3/16"</b>	12	111116	85.00	71.00	66.00	58.00	↓
	16	112792	86.00	72.00	67.00	59.00	
	22	112793	88.00	74.00	101.00	61.00	↓
	28	112794	100.00	84.00	76.00	68.00	
	36	112795	107.00	90.00	83.00	74.00	↓
	48	112796	129.00	112.00	104.00	95.00	
0.1890	10	100103	83.00	70.00	65.00	57.00	↓
<b>#12</b>	16	100104	87.00	73.00	68.00	59.00	
	22	100105	89.00	75.00	70.00	63.00	↓

# 0.1910" Dia. To 0.3160" Dia.



Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.1910	10	100106	83.00	70.00	65.00	57.00	↑
#11	16	100107	87.00	73.00	68.00	59.00	
	22	100108	89.00	75.00	70.00	63.00	
0.1935	10	100109	83.00	70.00	65.00	57.00	↑
#10	16	100110	87.00	73.00	68.00	59.00	
	22	100111	89.00	75.00	70.00	63.00	
0.1968	10	100560	83.00	70.00	65.00	57.00	↑
5mm	16	100561	87.00	73.00	68.00	59.00	
	22	100114	89.00	75.00	70.00	63.00	
0.1990	10	100115	83.00	70.00	65.00	57.00	3/4" Dia. x 2 3/4"
#8	16	100116	87.00	73.00	68.00	59.00	
	22	100117	89.00	75.00	70.00	63.00	
0.2010	10	100118	83.00	70.00	65.00	57.00	L O N G
#7	16	100119	87.00	73.00	68.00	59.00	
	22	100120	89.00	75.00	70.00	63.00	
0.2031	10	112802	81.00	68.00	63.00	54.00	T A P E R E D
13/64"	12	111550	83.00	69.00	64.00	56.00	
	16	112803	84.00	70.00	65.00	57.00	
	22	112804	89.00	75.00	69.00	59.00	
	28	112805	97.00	83.00	75.00	68.00	
	36	112806	106.00	89.00	82.00	73.00	
0.2090	10	100132	81.00	68.00	63.00	54.00	U N D E R C U T
#4	16	100133	85.00	72.00	66.00	58.00	
	22	100134	93.00	79.00	71.00	65.00	
0.2130	10	100562	81.00	68.00	63.00	54.00	U N D E R C U T
#3	16	100563	85.00	72.00	66.00	58.00	
	22	100564	93.00	79.00	71.00	65.00	
0.2187	10	112807	80.00	67.00	61.00	54.00	
7/32"	12	111778	82.00	69.00	63.00	54.00	
	16	112808	83.00	70.00	64.00	56.00	
	22	112809	87.00	73.00	68.00	61.00	
	28	112810	94.00	81.00	73.00	66.00	
	36	112811	103.00	86.00	80.00	71.00	
0.2210	10	100565	82.00	69.00	64.00	56.00	↑
#2	16	100566	84.00	71.00	66.00	58.00	
	22	100567	89.00	75.00	69.00	63.00	
0.2280	10	100146	82.00	69.00	64.00	56.00	↑
#1	16	100147	84.00	71.00	66.00	58.00	
	22	100148	89.00	75.00	69.00	63.00	
0.2344	10	112812	79.00	67.00	61.00	53.00	↑
15/64"	12	111560	81.00	68.00	63.00	54.00	
	16	112813	82.00	69.00	64.00	56.00	
	22	112814	86.00	72.00	67.00	59.00	
	28	100568	93.00	79.00	71.00	65.00	
	36	100569	102.00	85.00	79.00	70.00	
0.2362	10	112817	81.00	68.00	63.00	54.00	↑
6mm	16	112818	83.00	70.00	65.00	57.00	
	22	112819	88.00	74.00	68.00	61.00	
0.2380	10	100157	81.00	68.00	63.00	54.00	↑
Let. B	16	100158	83.00	70.00	65.00	57.00	
	22	100159	88.00	74.00	68.00	61.00	
0.2420	10	100160	81.00	68.00	63.00	54.00	↑
Let. C	16	100161	83.00	70.00	65.00	57.00	
	22	100162	88.00	74.00	68.00	61.00	
0.2460	10	100163	81.00	68.00	63.00	54.00	↑
Let. D	16	112821	83.00	70.00	65.00	57.00	
	22	100165	88.00	74.00	68.00	61.00	
0.2500	10	112823	79.00	66.00	59.00	53.00	↓
1/4" &	12	111118	80.00	67.00	61.00	53.00	
Let. E	16	112824	81.00	68.00	63.00	54.00	
	22	112825	85.00	71.00	66.00	58.00	
	28	112826	91.00	79.00	71.00	64.00	
	36	100570	100.00	84.00	76.00	69.00	
	48	100571	114.00	95.00	87.00	79.00	

Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.2570	10	100572	80.00	67.00	61.00	54.00	↑
Let. F	16	100573	83.00	70.00	64.00	56.00	
	22	100574	86.00	73.00	67.00	59.00	
0.2610	10	100175	80.00	67.00	61.00	54.00	↑
Let. G	16	100176	83.00	70.00	64.00	56.00	
	22	100177	86.00	73.00	67.00	59.00	
	28	112478	93.00	80.00	72.00	65.00	
	36	114080	101.00	84.00	76.00	69.00	
0.2656	10	100575	80.00	67.00	61.00	53.00	3/4" Dia. x 2 3/4"
17/64"	12	111570	82.00	69.00	63.00	55.00	
	16	100576	83.00	70.00	64.00	56.00	
	22	100577	86.00	73.00	67.00	59.00	
	28	100181	93.00	80.00	72.00	65.00	
	36	100578	101.00	84.00	76.00	69.00	
	48	114081	114.00	95.00	87.00	79.00	
0.2720	10	100183	81.00	68.00	63.00	54.00	
Let. I	16	100184	84.00	70.00	65.00	57.00	
	22	100185	86.00	73.00	67.00	59.00	
0.2756	10	100186	81.00	68.00	63.00	54.00	T A P E R E D
7mm	16	100187	84.00	70.00	65.00	57.00	
	22	100188	86.00	73.00	67.00	59.00	
0.2770	10	100189	81.00	68.00	63.00	54.00	U N D E R E D
Let. J	16	100190	84.00	70.00	65.00	57.00	
	22	100191	86.00	73.00	67.00	59.00	
0.2812	10	100192	81.00	68.00	63.00	56.00	U N D E R C U T
9/32"	12	111580	83.00	69.00	64.00	56.00	
	16	100579	84.00	70.00	65.00	57.00	
	22	100580	86.00	73.00	67.00	59.00	
	28	100195	94.00	80.00	72.00	66.00	
	36	100581	102.00	85.00	79.00	70.00	
	48	100582	115.00	97.00	89.00	80.00	
0.2900	10	100198	82.00	69.00	64.00	56.00	U N D E R C U T
Let. L	16	100199	84.00	71.00	66.00	58.00	
	22	100583	88.00	74.00	68.00	61.00	
0.2969	10	112846	83.00	69.00	63.00	57.00	↑
19/64"	12	111590	84.00	70.00	64.00	58.00	
	16	112847	88.00	74.00	68.00	61.00	
	22	112848	94.00	80.00	72.00	66.00	
	28	112849	101.00	84.00	76.00	69.00	
	36	112850	102.00	85.00	77.00	70.00	
0.3020	10	100209	84.00	71.00	66.00	57.00	↑
Let. N	16	100210	88.00	74.00	68.00	61.00	
	22	100211	94.00	80.00	72.00	66.00	
0.3125	10	112851	84.00	71.00	65.00	57.00	↓
5/16"	12	111121	85.00	71.00	66.00	58.00	
	16	112852	86.00	72.00	67.00	59.00	
	22	112853	89.00	75.00	69.00	64.00	
	28	112854	95.00	81.00	73.00	66.00	
	36	112855	102.00	86.00	79.00	70.00	
	48	112856	116.00	97.00	89.00	81.00	
0.3150	10	100218	84.00	71.00	65.00	57.00	
8mm	16	100219	86.00	72.00	67.00	59.00	
	22	100220	89.00	75.00	69.00	64.00	
	36	114082	102.00	86.00	79.00	70.00	
0.3160	10	100221	85.00	72.00	66.00	58.00	↓
Let. O	16	100222	88.00	74.00	68.00	61.00	
	22	100223	91.00	76.00	70.00	64.00	

# 0.3230" Dia. To 0.5000" Dia.



Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.3230	10	100225	88.00	74.00	68.00	61.00	↑
<b>Let. P</b>	16	100226	91.00	76.00	70.00	64.00	
	22	100646	93.00	78.00	71.00	67.00	
0.3281	10	100227	89.00	75.00	69.00	63.00	↑
<b>21/64"</b>	12	111610	91.00	76.00	70.00	64.00	
	16	100228	91.00	76.00	70.00	64.00	
	22	100229	93.00	78.00	71.00	67.00	
	28	100230	96.00	82.00	74.00	68.00	
	36	100231	104.00	87.00	80.00	71.00	
0.3320	10	100232	89.00	75.00	69.00	63.00	
<b>Let. Q</b>	16	100233	91.00	76.00	70.00	64.00	
	22	100234	93.00	78.00	71.00	67.00	
0.3390	10	100235	89.00	75.00	69.00	63.00	L O N G
<b>Let. R</b>	16	100236	91.00	76.00	70.00	64.00	
	22	100237	93.00	78.00	71.00	67.00	
0.3437	10	100238	89.00	75.00	69.00	63.00	T A P E R E D
<b>11/32"</b>	12	111620	91.00	76.00	70.00	64.00	
	16	100239	91.00	76.00	70.00	64.00	
	22	100240	95.00	81.00	73.00	67.00	
	28	100241	96.00	82.00	74.00	68.00	
	36	100242	104.00	87.00	80.00	71.00	
	48	100243	116.00	100.00	90.00	81.00	
0.3480	10	100244	89.00	75.00	69.00	63.00	
<b>Let. S</b>	16	100245	91.00	76.00	70.00	64.00	
	22	100246	95.00	81.00	73.00	67.00	
0.3543	10	100438	89.00	75.00	69.00	63.00	U N D E R C U T
<b>9mm</b>	16	100439	91.00	76.00	70.00	64.00	
	22	100440	95.00	81.00	73.00	67.00	
0.3594	10	100253	89.00	75.00	69.00	63.00	U N D E R C U T
<b>23/64"</b>	12	111630	91.00	76.00	70.00	64.00	
	16	100254	91.00	76.00	70.00	64.00	
	22	100255	96.00	82.00	74.00	67.00	
	28	100256	97.00	83.00	74.00	68.00	
	36	100257	104.00	87.00	80.00	71.00	
0.3680	10	100258	89.00	75.00	69.00	63.00	↓
<b>Let. U</b>	16	100259	93.00	78.00	70.00	64.00	
	22	100260	96.00	82.00	74.00	67.00	
0.3750	10	100261	89.00	75.00	69.00	63.00	↓
<b>3/8"</b>	12	111122	93.00	78.00	70.00	64.00	
	16	100262	93.00	78.00	70.00	64.00	
	22	100263	96.00	82.00	74.00	67.00	
	28	100264	100.00	83.00	75.00	68.00	
	36	100265	104.00	87.00	81.00	71.00	
	48	100266	119.00	101.00	91.00	82.00	
0.3770	10	100668	89.00	75.00	69.00	63.00	↓
<b>Let. V</b>	16	100267	93.00	78.00	70.00	64.00	
	22	100268	96.00	82.00	74.00	68.00	
	36	100269	104.00	87.00	81.00	71.00	
0.3860	16	100270	93.00	78.00	70.00	64.00	↓
<b>Let. W</b>	22	100271	96.00	82.00	74.00	68.00	
	36	100272	105.00	88.00	81.00	72.00	
0.3906	10	100647	89.00	75.00	69.00	63.00	↓
<b>25/64"</b>	12	111640	93.00	78.00	70.00	64.00	
	16	100274	93.00	78.00	70.00	64.00	
	22	100275	96.00	82.00	74.00	67.00	
	28	100276	100.00	84.00	76.00	69.00	
	36	100277	105.00	88.00	81.00	72.00	

Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver	
0.3937	10	114083	89.00	75.00	69.00	63.00	↑	
<b>10mm</b>	16	100278	93.00	79.00	71.00	64.00		
	22	100279	97.00	83.00	75.00	68.00		
	36	100280	106.00	88.00	82.00	72.00		
	48	114084	120.00	102.00	91.00	83.00	↑	
0.3970	16	100281	93.00	79.00	71.00	64.00		
<b>Let. X</b>	22	100282	97.00	83.00	75.00	68.00		
	36	100283	106.00	88.00	82.00	72.00	3/4" Dia. x 2 3/4"	
0.4062	10	100287	89.00	75.00	69.00	63.00		
<b>13/32"</b>	12	111650	93.00	79.00	71.00	64.00		
	16	100288	93.00	79.00	71.00	64.00		
	22	100289	97.00	83.00	75.00	68.00		
	28	100290	101.00	84.00	76.00	69.00		
	36	100291	106.00	88.00	82.00	72.00	L O N G	
	48	100292	120.00	102.00	91.00	83.00		
0.4219	10	100296	91.00	76.00	70.00	63.00		
<b>27/64"</b>	12	111660	94.00	76.00	70.00	64.00		
	16	100297	95.00	79.00	71.00	65.00	T A P E R E D	
	22	100298	100.00	83.00	75.00	68.00		
	28	100299	101.00	85.00	76.00	69.00		
	36	100300	106.00	89.00	82.00	73.00		
	48	112479	122.00	103.00	93.00	83.00		
0.4331	16	100301	95.00	80.00	72.00	65.00		U N D E R C U T
<b>11mm</b>	22	100302	100.00	84.00	76.00	69.00		
	36	100303	106.00	89.00	82.00	73.00		
0.4375	10	100304	91.00	76.00	70.00	64.00	U N D E R C U T	
<b>7/16"</b>	12	111123	94.00	80.00	71.00	64.00		
	16	100305	95.00	80.00	72.00	65.00		
	22	100306	100.00	84.00	76.00	69.00		
	28	100307	102.00	85.00	79.00	70.00		
	36	100308	107.00	89.00	83.00	74.00		
	48	100309	122.00	103.00	93.00	84.00		
0.4531	10	100310	91.00	76.00	71.00	64.00		↓
<b>29/64"</b>	12	111670	94.00	80.00	71.00	64.00		
	16	100311	95.00	80.00	72.00	65.00		
	22	100312	101.00	84.00	76.00	69.00		
	28	100313	102.00	86.00	79.00	70.00		
	36	100314	107.00	90.00	83.00	74.00		
	48	112480	124.00	104.00	94.00	84.00		
0.4687	10	100315	94.00	76.00	71.00	64.00	↓	
<b>15/32"</b>	12	111680	95.00	80.00	72.00	65.00		
	16	100316	95.00	80.00	73.00	66.00		
	22	100317	101.00	85.00	76.00	69.00		
	28	100318	103.00	86.00	80.00	71.00		
	36	100319	109.00	90.00	84.00	74.00		
	48	100320	124.00	104.00	94.00	84.00		
0.4724	16	100321	95.00	80.00	73.00	66.00		↓
<b>12mm</b>	22	100322	101.00	85.00	76.00	69.00		
	36	100323	109.00	90.00	84.00	74.00	↓	
0.4844	10	114085	93.00	79.00	71.00	64.00		
<b>31/64"</b>	12	111690	94.00	80.00	72.00	65.00		
	16	100325	95.00	81.00	73.00	66.00		
	22	100326	102.00	85.00	79.00	70.00		
	28	100327	104.00	87.00	81.00	72.00		
	36	100328	110.00	91.00	84.00	74.00	↓	
0.5000	10	100329	94.00	80.00	72.00	65.00		
<b>1/2"</b>	12	111720	95.00	81.00	73.00	66.00		
	16	100330	96.00	82.00	74.00	67.00		
	22	100331	102.00	85.00	79.00	70.00		
	28	100332	104.00	87.00	82.00	72.00		
	36	100333	110.00	93.00	85.00	75.00		
	48	100334	126.00	105.00	95.00	86.00		

