

PRICE LIST

Stock Gundrills

Same Day Shipment

Kidney Coolant Hole

0.0781" Dia. To 0.1890" Dia.



Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.0781	6	112758	150.00	122.00	114.00	103.00	↑
5/64"	10	112759	157.00	126.00	118.00	108.00	
0.0810	6	100534	152.00	123.00	116.00	105.00	
#46	10	100535	157.00	126.00	118.00	108.00	
0.0820	6	100006	143.00	118.00	108.00	99.00	
#45	10	112475	149.00	122.00	112.00	103.00	
0.0860	6	100007	132.00	107.00	100.00	90.00	
#44	10	104708	139.00	117.00	104.00	96.00	
0.0890	6	100008	124.00	102.00	95.00	86.00	
#43	10	112476	129.00	105.00	97.00	88.00	
0.0937	6	112764	116.00	94.00	86.00	79.00	
3/32"	10	112765	119.00	97.00	88.00	81.00	
	12	111110	123.00	103.00	96.00	87.00	
	16	112766	124.00	104.00	97.00	88.00	
0.0960	6	100536	122.00	99.00	90.00	83.00	
#41	10	100537	125.00	103.00	95.00	86.00	
0.0980	6	100538	122.00	99.00	90.00	83.00	
#40	10	100539	125.00	103.00	95.00	86.00	
0.0995	6	100540	122.00	99.00	90.00	83.00	
#39	10	100541	125.00	103.00	95.00	86.00	
0.1015	6	100017	117.00	95.00	87.00	80.00	
#38	10	100542	118.00	96.00	88.00	81.00	
0.1040	6	100019	117.00	95.00	87.00	80.00	
#37	10	100020	118.00	96.00	88.00	81.00	
0.1065	6	100021	117.00	95.00	86.00	80.00	
#36	10	100543	118.00	96.00	88.00	81.00	
0.1094	6	112767	117.00	95.00	86.00	80.00	
7/64"	10	112768	118.00	96.00	88.00	81.00	
	12	111520	120.00	97.00	88.00	82.00	
	16	112769	121.00	98.00	89.00	83.00	
0.1110	6	100025	117.00	95.00	86.00	80.00	
#34	10	100026	119.00	97.00	88.00	81.00	
0.1130	6	100027	117.00	95.00	86.00	79.00	
#33	10	100028	119.00	97.00	88.00	81.00	
0.1160	6	100029	117.00	95.00	86.00	80.00	
#32	10	100030	119.00	97.00	88.00	81.00	
0.1181	6	100031	117.00	95.00	86.00	79.00	
3mm	10	100544	119.00	97.00	88.00	81.00	
	16	112477	128.00	105.00	98.00	90.00	
0.1200	6	100033	117.00	95.00	86.00	80.00	
#31	10	100034	119.00	97.00	88.00	81.00	
0.1250	10	112773	83.00	68.00	63.00	58.00	
1/8"	12	111112	88.00	74.00	67.00	61.00	
	16	112774	89.00	74.00	68.00	62.00	
	22	112775	99.00	80.00	74.00	68.00	
	28	112776	102.00	83.00	77.00	70.00	
	36	100666	105.00	85.00	79.00	73.00	
0.1285	10	100545	83.00	70.00	65.00	58.00	
#30	16	100546	89.00	76.00	69.00	62.00	
	22	100547	99.00	83.00	76.00	68.00	
	28	111776	102.00	85.00	79.00	70.00	
0.1360	10	100548	85.00	73.00	66.00	59.00	
#29	16	100549	93.00	77.00	70.00	63.00	
	22	100550	100.00	84.00	77.00	69.00	
0.1406	10	112778	85.00	73.00	66.00	59.00	
9/64"	12	111530	91.00	76.00	69.00	62.00	
	16	112779	93.00	77.00	70.00	63.00	
	22	112780	100.00	84.00	77.00	69.00	

Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.1440	10	100047	83.00	70.00	64.00	58.00	↑
#27	16	100048	88.00	75.00	68.00	61.00	
	22	100049	96.00	80.00	74.00	65.00	
0.1470	10	100551	83.00	70.00	64.00	58.00	
#26	16	100552	88.00	75.00	68.00	61.00	
	22	100052	96.00	80.00	74.00	65.00	
0.1495	10	100553	83.00	70.00	64.00	58.00	
#25	16	100554	89.00	76.00	69.00	62.00	
	22	100555	96.00	80.00	74.00	65.00	
0.1520	10	100056	83.00	70.00	64.00	58.00	
#24	16	100057	89.00	76.00	69.00	62.00	
	22	100058	96.00	80.00	74.00	65.00	
0.1562	10	112781	80.00	68.00	62.00	55.00	
5/32"	12	111114	83.00	69.00	64.00	57.00	
	16	112782	84.00	70.00	65.00	58.00	
	22	112783	90.00	77.00	70.00	63.00	
	28	112784	96.00	81.00	74.00	66.00	
	36	114079	101.00	85.00	78.00	69.00	
0.1575	10	112785	81.00	68.00	63.00	57.00	
4mm	16	112786	85.00	73.00	66.00	59.00	
	22	112787	93.00	78.00	71.00	63.00	
0.1590	10	100068	81.00	68.00	63.00	57.00	
#21	16	100069	85.00	73.00	66.00	59.00	
	22	100070	93.00	78.00	71.00	63.00	
0.1610	10	100071	81.00	68.00	63.00	57.00	
#20	16	100072	85.00	73.00	66.00	59.00	
	22	100073	93.00	78.00	71.00	63.00	
0.1660	10	100074	81.00	68.00	63.00	57.00	
#19	16	100075	85.00	73.00	66.00	59.00	
	22	100076	93.00	78.00	71.00	63.00	
0.1719	10	112788	81.00	68.00	63.00	57.00	
11/64"	12	111540	84.00	71.00	65.00	58.00	
	16	112789	85.00	73.00	66.00	59.00	
	22	112790	93.00	78.00	71.00	63.00	
0.1730	10	100556	81.00	68.00	63.00	55.00	
#17	16	100557	85.00	72.00	66.00	59.00	
	22	100085	91.00	77.00	70.00	63.00	
0.1770	10	100558	81.00	68.00	63.00	55.00	
#16	16	100559	85.00	72.00	66.00	59.00	
	22	100088	91.00	77.00	70.00	63.00	
0.1800	10	100089	81.00	68.00	63.00	55.00	
#15	16	100090	85.00	72.00	66.00	59.00	
	22	100091	91.00	77.00	70.00	63.00	
0.1820	10	100092	81.00	68.00	63.00	55.00	
#14	16	100093	85.00	72.00	66.00	59.00	
	22	100094	91.00	77.00	70.00	63.00	
0.1850	10	100095	81.00	68.00	63.00	55.00	
#13	16	100096	85.00	72.00	66.00	59.00	
	22	100097	91.00	77.00	70.00	63.00	
0.1875	10	112791	75.00	64.00	58.00	52.00	
3/16"	12	111116	79.00	66.00	61.00	54.00	
	16	112792	80.00	67.00	62.00	55.00	
	22	112793	82.00	69.00	63.00	57.00	
	28	112794	93.00	78.00	71.00	63.00	
	36	112795	100.00	84.00	77.00	69.00	
	48	112796	120.00	104.00	97.00	88.00	
0.1890	10	100103	77.00	65.00	60.00	53.00	
#12	16	100104	81.00	68.00	63.00	55.00	
	22	100105	83.00	70.00	65.00	58.00	

0.1910" Dia. To 0.3160" Dia.



Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.1910	10	100106	77.00	65.00	60.00	53.00	↑
#11	16	100107	81.00	68.00	63.00	55.00	
	22	100108	83.00	70.00	65.00	58.00	
0.1935	10	100109	77.00	65.00	60.00	53.00	↑
#10	16	100110	81.00	68.00	63.00	55.00	
	22	100111	83.00	70.00	65.00	58.00	
01968	10	100560	77.00	65.00	60.00	53.00	↑
5mm	16	100561	81.00	68.00	63.00	55.00	
	22	100114	83.00	70.00	65.00	58.00	
0.1990	10	100115	77.00	65.00	60.00	53.00	3/4" Dia. x 2 3/4"
#8	16	100116	81.00	68.00	63.00	55.00	
	22	100117	83.00	70.00	65.00	58.00	
0.2010	10	100118	77.00	65.00	60.00	53.00	L O N G
#7	16	100119	81.00	68.00	63.00	55.00	
	22	100120	83.00	70.00	65.00	58.00	
0.2031	10	112802	75.00	63.00	58.00	50.00	T A P E R E D
13/64"	12	111550	77.00	64.00	59.00	52.00	
	16	112803	78.00	65.00	60.00	53.00	
	22	112804	83.00	70.00	64.00	55.00	
	28	112805	90.00	77.00	70.00	63.00	
	36	112806	99.00	83.00	76.00	68.00	
0.2090	10	100132	75.00	63.00	58.00	50.00	U N D E R C U T
#4	16	100133	79.00	67.00	61.00	54.00	
	22	100134	86.00	73.00	66.00	60.00	
0.2130	10	100562	75.00	63.00	58.00	50.00	U N D E R C U T
#3	16	100563	79.00	67.00	61.00	54.00	
	22	100564	86.00	73.00	66.00	60.00	
0.2187	10	112807	74.00	62.00	57.00	50.00	U N D E R C U T
7/32"	12	111778	76.00	64.00	58.00	50.00	
	16	112808	77.00	65.00	59.00	52.00	
	22	112809	81.00	68.00	63.00	57.00	
	28	112810	87.00	75.00	68.00	61.00	
	36	112811	96.00	80.00	74.00	66.00	
	36	112811	96.00	80.00	74.00	66.00	
0.2210	10	100565	76.00	64.00	59.00	52.00	↑
#2	16	100566	78.00	66.00	61.00	54.00	
	22	100567	83.00	70.00	64.00	58.00	
0.2280	10	100146	76.00	64.00	59.00	52.00	↑
#1	16	100147	78.00	66.00	61.00	54.00	
	22	100148	83.00	70.00	64.00	58.00	
0.2344	10	112812	73.00	62.00	57.00	49.00	↑
15/64"	12	111560	75.00	63.00	58.00	50.00	
	16	112813	76.00	64.00	59.00	52.00	
	22	112814	80.00	67.00	62.00	55.00	
	28	100568	86.00	73.00	66.00	60.00	
	36	100569	95.00	79.00	73.00	65.00	
0.2362	10	112817	75.00	63.00	58.00	50.00	↑
6mm	16	112818	77.00	65.00	60.00	53.00	
	22	112819	82.00	69.00	63.00	57.00	
0.2380	10	100157	75.00	63.00	58.00	50.00	↑
Let. B	16	100158	77.00	65.00	60.00	53.00	
	22	100159	82.00	69.00	63.00	57.00	
0.2420	10	100160	75.00	63.00	58.00	50.00	↑
Let. C	16	100161	77.00	65.00	60.00	53.00	
	22	100162	82.00	69.00	63.00	57.00	
0.2460	10	100163	75.00	63.00	58.00	50.00	↑
Let. D	16	112821	77.00	65.00	60.00	53.00	
	22	100165	82.00	69.00	63.00	57.00	
0.2500	10	112823	73.00	61.00	55.00	49.00	↑
1/4" &	12	111118	74.00	62.00	57.00	49.00	
Let. E	16	112824	75.00	63.00	58.00	50.00	
	22	112825	79.00	66.00	61.00	54.00	
	28	112826	85.00	73.00	66.00	59.00	
	36	100570	93.00	78.00	71.00	64.00	
	48	100571	106.00	88.00	81.00	73.00	

Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.2570	10	100572	74.00	62.00	57.00	50.00	↑
Let. F	16	100573	77.00	65.00	59.00	52.00	
	22	100574	80.00	68.00	62.00	55.00	
0.2610	10	100175	74.00	62.00	57.00	50.00	↑
Let. G	16	100176	77.00	65.00	59.00	52.00	
	22	100177	80.00	68.00	62.00	55.00	
	28	112478	86.00	74.00	67.00	60.00	
	36	114080	94.00	78.00	71.00	64.00	
0.2656	10	100575	74.00	62.00	57.00	49.00	3/4" Dia. x 2 3/4"
17/64"	12	111570	76.00	64.00	58.00	51.00	
	16	100576	77.00	65.00	59.00	52.00	
	22	100577	80.00	68.00	62.00	55.00	
	28	100181	86.00	74.00	67.00	60.00	
	36	100578	94.00	78.00	71.00	64.00	
	48	114081	106.00	88.00	81.00	73.00	
0.2720	10	100183	75.00	63.00	58.00	50.00	
Let. I	16	100184	78.00	65.00	60.00	53.00	
	22	100185	80.00	68.00	62.00	55.00	
0.2756	10	100186	75.00	63.00	58.00	50.00	T A P E R E D
7mm	16	100187	78.00	65.00	60.00	53.00	
	22	100188	80.00	68.00	62.00	55.00	
0.2770	10	100189	75.00	63.00	58.00	50.00	U N D E R C U T
Let. J	16	100190	78.00	65.00	60.00	53.00	
	22	100191	80.00	68.00	62.00	55.00	
0.2812	10	100192	75.00	63.00	58.00	52.00	U N D E R C U T
9/32"	12	111580	77.00	64.00	59.00	52.00	
	16	100579	78.00	65.00	60.00	53.00	
	22	100580	80.00	68.00	62.00	55.00	
	28	100195	87.00	74.00	67.00	61.00	
	36	100581	95.00	79.00	73.00	65.00	
	48	100582	107.00	90.00	83.00	74.00	
0.2900	10	100198	76.00	64.00	59.00	52.00	U N D E R C U T
Let. L	16	100199	78.00	66.00	61.00	54.00	
	22	100583	82.00	69.00	63.00	57.00	
0.2969	10	112846	77.00	64.00	58.00	53.00	↑
19/64"	12	111590	78.00	65.00	59.00	54.00	
	16	112847	82.00	69.00	63.00	57.00	
	22	112848	87.00	74.00	67.00	61.00	
	28	112849	94.00	78.00	71.00	64.00	
	36	112850	95.00	77.00	70.00	65.00	
0.3020	10	100209	78.00	66.00	61.00	53.00	↑
Let. N	16	100210	82.00	69.00	63.00	57.00	
	22	100211	87.00	74.00	67.00	61.00	
0.3125	10	112851	78.00	66.00	60.00	53.00	↑
5/16"	12	111121	79.00	66.00	61.00	54.00	
	16	112852	80.00	67.00	62.00	55.00	
	22	112853	83.00	70.00	64.00	59.00	
	28	112854	88.00	75.00	68.00	61.00	
	36	112855	95.00	80.00	73.00	65.00	
	48	112856	108.00	90.00	83.00	75.00	
0.3150	10	100218	78.00	66.00	60.00	53.00	
8mm	16	100219	80.00	67.00	62.00	55.00	
	22	100220	83.00	70.00	64.00	59.00	
	36	114082	95.00	80.00	73.00	65.00	↑
0.3160	10	100221	79.00	67.00	61.00	54.00	
Let. O	16	100222	82.00	69.00	63.00	57.00	
	22	100223	85.00	71.00	65.00	59.00	↓

0.3230" Dia. To 0.5000" Dia.



Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.3230	10	100225	82.00	69.00	63.00	57.00	↑
Let. P	16	100226	85.00	71.00	65.00	59.00	
	22	100646	86.00	72.00	66.00	62.00	
0.3281	10	100227	83.00	70.00	64.00	58.00	↑
21/64"	12	111610	85.00	71.00	65.00	59.00	
	16	100228	85.00	71.00	65.00	59.00	
	22	100229	86.00	72.00	66.00	62.00	
	28	100230	89.00	76.00	69.00	63.00	
	36	100231	97.00	81.00	74.00	66.00	
	36	100231	97.00	81.00	74.00	66.00	
0.3320	10	100232	83.00	70.00	64.00	58.00	3/4" Dia. x 2 3/4"
Let. Q	16	100233	85.00	71.00	65.00	59.00	
	22	100234	86.00	72.00	66.00	62.00	
0.3390	10	100235	83.00	70.00	64.00	58.00	L O N G
Let. R	16	100236	85.00	71.00	65.00	59.00	
	22	100237	86.00	72.00	66.00	62.00	
0.3437	10	100238	83.00	70.00	64.00	58.00	T A P E R E D
11/32"	12	111620	85.00	71.00	65.00	59.00	
	16	100239	85.00	71.00	65.00	59.00	
	22	100240	88.00	75.00	68.00	62.00	
	28	100241	89.00	76.00	69.00	63.00	
	36	100242	97.00	81.00	74.00	66.00	
	48	100243	108.00	93.00	84.00	75.00	
0.3480	10	100244	83.00	70.00	64.00	58.00	E D
Let. S	16	100245	85.00	71.00	65.00	59.00	
	22	100246	88.00	75.00	68.00	62.00	
0.3543	10	100438	83.00	70.00	64.00	58.00	U N D E R C U T
9mm	16	100439	85.00	71.00	65.00	59.00	
	22	100440	88.00	75.00	68.00	62.00	
0.3594	10	100253	83.00	70.00	64.00	58.00	E R C U T
23/64"	12	111630	85.00	71.00	65.00	59.00	
	16	100254	85.00	71.00	65.00	59.00	
	22	100255	89.00	76.00	69.00	62.00	
	28	100256	90.00	77.00	69.00	63.00	
	36	100257	97.00	81.00	74.00	66.00	
	36	100257	97.00	81.00	74.00	66.00	
0.3680	10	100258	83.00	70.00	64.00	58.00	↑
Let. U	16	100259	86.00	72.00	65.00	59.00	
	22	100260	89.00	76.00	69.00	62.00	
0.3750	10	100261	83.00	70.00	64.00	58.00	↑
3/8"	12	111122	86.00	72.00	65.00	59.00	
	16	100262	86.00	72.00	65.00	59.00	
	22	100263	89.00	76.00	69.00	62.00	
	28	100264	93.00	77.00	70.00	63.00	
	36	100265	97.00	81.00	75.00	66.00	
	48	100266	111.00	94.00	85.00	76.00	
0.3770	10	100668	83.00	70.00	64.00	58.00	↑
Let. V	16	100267	86.00	72.00	65.00	59.00	
	22	100268	89.00	76.00	69.00	63.00	
	36	100269	97.00	81.00	75.00	66.00	
0.3860	16	100270	86.00	72.00	65.00	59.00	↑
Let. W	22	100271	89.00	76.00	69.00	63.00	
	36	100272	98.00	82.00	75.00	67.00	
0.3906	10	100647	83.00	70.00	64.00	58.00	↑
25/64"	12	111640	86.00	72.00	65.00	59.00	
	16	100274	86.00	72.00	65.00	59.00	
	22	100275	89.00	76.00	69.00	62.00	
	28	100276	93.00	78.00	71.00	64.00	
	36	100277	98.00	82.00	75.00	67.00	
	36	100277	98.00	82.00	75.00	67.00	

Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.3937	10	114083	83.00	70.00	64.00	58.00	↑
10mm	16	100278	86.00	73.00	66.00	59.00	
	22	100279	90.00	77.00	70.00	63.00	
	36	100280	99.00	82.00	76.00	67.00	
	48	114084	112.00	95.00	85.00	77.00	↑
0.3970	16	100281	86.00	73.00	66.00	59.00	
Let. X	22	100282	90.00	77.00	70.00	63.00	
	36	100283	99.00	82.00	76.00	67.00	↑
0.4062	10	100287	83.00	70.00	64.00	58.00	
13/32"	12	111650	86.00	73.00	66.00	59.00	
	16	100288	86.00	73.00	66.00	59.00	
	22	100289	90.00	77.00	70.00	63.00	3/4" Dia. x 2 3/4"
	28	100290	94.00	78.00	71.00	64.00	
	36	100291	99.00	82.00	76.00	67.00	
	48	100292	112.00	95.00	85.00	77.00	
0.4219	10	100296	85.00	71.00	65.00	58.00	N G
27/64"	12	111660	87.00	71.00	65.00	59.00	
	16	100297	88.00	73.00	66.00	60.00	
	22	100298	93.00	77.00	70.00	63.00	
	28	100299	94.00	79.00	71.00	64.00	
	36	100300	99.00	83.00	76.00	68.00	
	48	112479	114.00	96.00	86.00	77.00	
0.4331	16	100301	88.00	74.00	67.00	60.00	T A P E R E D
11mm	22	100302	93.00	78.00	71.00	64.00	
	36	100303	99.00	83.00	76.00	68.00	
0.4375	10	100304	85.00	71.00	65.00	59.00	U N D E R C U T
7/16"	12	111123	87.00	74.00	66.00	59.00	
	16	100305	88.00	74.00	67.00	60.00	
	22	100306	93.00	78.00	71.00	64.00	
	28	100307	95.00	79.00	73.00	65.00	
	36	100308	100.00	83.00	77.00	69.00	
	48	100309	114.00	96.00	86.00	78.00	
0.4531	10	100310	85.00	71.00	66.00	59.00	↑
29/64"	12	111670	87.00	74.00	66.00	59.00	
	16	100311	88.00	74.00	67.00	60.00	
	22	100312	94.00	78.00	71.00	64.00	
	28	100313	95.00	80.00	73.00	65.00	
	36	100314	100.00	84.00	77.00	69.00	
	48	112480	115.00	97.00	87.00	78.00	
0.4687	10	100315	87.00	71.00	66.00	59.00	↑
15/32"	12	111680	88.00	74.00	67.00	60.00	
	16	100316	88.00	74.00	68.00	61.00	
	22	100317	94.00	79.00	71.00	64.00	
	28	100318	96.00	80.00	74.00	66.00	
	36	100319	101.00	84.00	78.00	69.00	
	48	100320	115.00	97.00	87.00	78.00	
0.4724	16	100321	88.00	74.00	68.00	61.00	↑
12mm	22	100322	94.00	79.00	71.00	64.00	
	36	100323	101.00	84.00	78.00	69.00	↑
0.4844	10	114085	86.00	73.00	66.00	59.00	
31/64"	12	111690	87.00	74.00	67.00	60.00	
	16	100325	88.00	75.00	68.00	61.00	
	22	100326	95.00	79.00	73.00	65.00	
	28	100327	97.00	81.00	75.00	67.00	
	36	100328	102.00	85.00	78.00	69.00	
0.5000	10	100329	87.00	74.00	67.00	60.00	↑
1/2"	12	111720	88.00	75.00	68.00	61.00	
	16	100330	89.00	76.00	69.00	62.00	
	22	100331	95.00	79.00	73.00	65.00	
	28	100332	97.00	81.00	76.00	67.00	
	36	100333	102.00	86.00	79.00	70.00	
	48	100334	117.00	98.00	88.00	80.00	

0.5156" Dia. To 1.5000" Dia.



Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.5156	16	100335	93.00	77.00	70.00	63.00	↑
33/64"	22	100336	96.00	80.00	73.00	65.00	
	36	100337	104.00	87.00	80.00	71.00	
0.5312	16	100338	93.00	78.00	71.00	64.00	↑
17/32"	22	100339	96.00	81.00	74.00	66.00	
	36	100340	105.00	88.00	81.00	73.00	
	48	114086	120.00	101.00	93.00	82.00	↑
0.5469	16	100341	95.00	79.00	73.00	65.00	
35/64"	22	100342	98.00	82.00	75.00	67.00	
	36	100343	106.00	89.00	82.00	74.00	↑
0.5625	16	100344	100.00	84.00	77.00	68.00	
9/16"	22	100345	102.00	86.00	79.00	70.00	
	28	119839	107.00	89.00	82.00	74.00	↑
	36	100346	112.00	95.00	86.00	77.00	
	48	100347	129.00	109.00	100.00	88.00	
0.5781	16	100348	106.00	89.00	81.00	73.00	↑
37/64"	22	100349	108.00	93.00	83.00	75.00	
	36	100350	118.00	100.00	90.00	81.00	
0.5937	16	100351	107.00	90.00	83.00	74.00	↑
19/32"	22	100352	111.00	94.00	84.00	76.00	
	36	100353	119.00	100.00	90.00	81.00	
	48	112481	136.00	116.00	105.00	95.00	↑
0.6094	16	100354	114.00	96.00	86.00	78.00	
39/64"	22	100355	117.00	98.00	88.00	80.00	
	36	100356	123.00	104.00	96.00	85.00	1" Dia. x 2 3/4"
0.6250	16	100357	115.00	97.00	87.00	79.00	
5/8"	22	100358	118.00	99.00	89.00	80.00	
	28	114087	121.00	102.00	94.00	83.00	L
	36	100359	124.00	105.00	97.00	85.00	
	48	100360	142.00	121.00	109.00	99.00	
0.6406	16	100361	117.00	98.00	88.00	80.00	O
41/64"	22	100362	119.00	100.00	90.00	81.00	
	36	100363	125.00	106.00	98.00	86.00	
0.6562	16	100364	118.00	99.00	89.00	80.00	N
21/32"	22	100365	120.00	101.00	93.00	82.00	
	36	100366	126.00	107.00	98.00	87.00	
0.6719	16	100367	119.00	100.00	90.00	81.00	G
43/64"	22	100368	121.00	102.00	94.00	83.00	
	36	100369	128.00	108.00	99.00	87.00	
0.6875	16	100370	120.00	101.00	93.00	82.00	L
11/16"	22	100371	123.00	103.00	95.00	84.00	
	28	119840	125.00	106.00	98.00	86.00	
	36	100372	129.00	109.00	100.00	88.00	A
	48	100373	147.00	123.00	114.00	101.00	
0.7031	16	100656	122.00	102.00	94.00	83.00	
45/64"	22	114088	123.00	104.00	96.00	85.00	
	36	100376	130.00	109.00	100.00	89.00	
	48	114089	148.00	124.00	115.00	102.00	↑
0.7187	16	100377	122.00	102.00	94.00	83.00	
23/32"	22	100378	123.00	105.00	96.00	85.00	
	36	100379	131.00	111.00	101.00	89.00	↑
	48	100669	151.00	130.00	121.00	109.00	
0.7344	16	100380	123.00	103.00	95.00	84.00	
47/64"	22	100381	124.00	106.00	97.00	86.00	
	36	100382	132.00	112.00	102.00	90.00	
0.7500	16	100383	128.00	108.00	99.00	87.00	↑
3/4"	22	100384	130.00	111.00	101.00	89.00	
	28	112482	134.00	114.00	103.00	93.00	
	36	100385	136.00	116.00	105.00	95.00	↑
	48	100386	156.00	131.00	121.00	116.00	
0.7656	22	100441	135.00	115.00	104.00	94.00	
49/64"	36	100442	141.00	120.00	109.00	98.00	
	48	100443	161.00	139.00	129.00	118.00	
0.7812	22	100389	137.00	122.00	117.00	102.00	↑
25/32"	36	100390	144.00	128.00	123.00	108.00	
	48	100648	162.00	143.00	136.00	120.00	

Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.7969	22	100391	139.00	123.00	118.00	103.00	↑
51/64"	36	100392	145.00	129.00	123.00	109.00	
	48	100649	164.00	144.00	137.00	121.00	
0.8125	22	100393	141.00	123.00	119.00	104.00	↑
13/16"	36	100394	147.00	130.00	124.00	110.00	
	48	100395	165.00	146.00	139.00	122.00	
0.8281	22	100444	144.00	125.00	120.00	105.00	↑
53/64"	36	100445	151.00	131.00	125.00	111.00	
	48	100446	171.00	148.00	137.00	124.00	
0.8437	22	100398	146.00	126.00	120.00	105.00	↑
27/32"	36	100399	155.00	131.00	125.00	111.00	
	48	100650	174.00	150.00	138.00	124.00	
0.8594	22	100400	152.00	132.00	121.00	106.00	1 1/4" Dia. x 2 3/4" Long. Flat
55/64"	36	100401	160.00	135.00	126.00	114.00	
	48	100651	179.00	152.00	130.00	125.00	
0.8750	22	100402	157.00	132.00	121.00	108.00	↑
7/8"	36	100403	166.00	139.00	126.00	115.00	
	48	100404	186.00	155.00	141.00	125.00	
0.8906	22	100447	162.00	137.00	129.00	112.00	↑
57/64"	36	100448	170.00	141.00	131.00	117.00	
	48	100449	192.00	171.00	151.00	142.00	
0.9062	22	100407	162.00	137.00	129.00	112.00	↑
29/32"	36	100408	170.00	143.00	131.00	118.00	
	48	100652	189.00	163.00	151.00	137.00	
0.9219	22	100409	166.00	139.00	129.00	115.00	↑
59/64"	36	100410	172.00	145.00	134.00	120.00	
	48	100653	192.00	166.00	153.00	139.00	
0.9375	16	114090	159.00	129.00	123.00	109.00	↑
15/16"	22	100411	168.00	141.00	131.00	117.00	
	36	100412	175.00	148.00	136.00	122.00	
	48	100654	194.00	168.00	156.00	141.00	↑
0.9531	22	100450	175.00	155.00	148.00	130.00	
61/64"	36	100451	183.00	163.00	157.00	137.00	
	48	100452	206.00	185.00	177.00	157.00	↑
0.9687	22	100655	175.00	155.00	148.00	130.00	
31/32"	36	100417	183.00	163.00	157.00	137.00	
	48	100670	206.00	185.00	177.00	157.00	↑
0.9844	22	100418	180.00	154.00	148.00	130.00	
63/64"	36	100419	184.00	163.00	158.00	139.00	
	48	100657	218.00	193.00	185.00	166.00	↑
1.0000	16	100690	176.00	156.00	146.00	129.00	
1"	22	100420	184.00	156.00	148.00	130.00	
	28	100689	186.00	159.00	150.00	131.00	↑
	36	100421	191.00	162.00	152.00	141.00	
	48	100422	218.00	193.00	185.00	166.00	
1.0625	22	100453	213.00	191.00	186.00	163.00	↑
1 1/16"	36	100454	227.00	203.00	189.00	167.00	
	48	100455	248.00	224.00	217.00	190.00	
1.1250	22	100658	233.00	198.00	194.00	175.00	↑
1 1/8"	36	100425	235.00	210.00	200.00	178.00	
	48	100426	270.00	239.00	229.00	191.00	
1.1875	22	100659	284.00	241.00	221.00	184.00	↑
1 3/16"	36	100660	286.00	243.00	222.00	186.00	
	48	100428	315.00	267.00	245.00	206.00	
1.2500	22	100661	284.00	241.00	221.00	197.00	↑
1 1/4"	36	100429	286.00	243.00	222.00	199.00	
	48	100430	315.00	267.00	245.00	219.00	
1.3125	22	100662	324.00	275.00	251.00	225.00	↑
1 5/16"	36	100431	326.00	278.00	253.00	227.00	
	48	100432	356.00	302.00	276.00	248.00	
1.3750	22	100663	367.00	311.00	284.00	253.00	↑
1 3/8"	36	100433	368.00	313.00	286.00	256.00	
	48	100434	396.00	336.00	308.00	276.00	
1.4375	36	100664	415.00	352.00	322.00	288.00	↑
7/16"	48	100436	434.00	371.00	342.00	308.00	
1.5000	36	100437	436.00	370.00	340.00	304.00	
1 1/2"	48	100667	466.00	395.00	363.00	324.00	