

0.0394" Dia. To 0.1094" Dia.

ADVANTAGES

Increased Rigidity Faster Feed Rates Improved Tool Life Better Oil Flow

Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.0394	5	101010SC	158.00	138.00	134.00	130.00	↑
1.0mm							
0.0472	5	101030SC	158.00	138.00	134.00	130.00	↑
1.2mm							
0.0550	6	100682SC	126.00	111.00	108.00	105.00	1/2"
	8	101051SC	132.00	118.00	115.00	111.00	
0.0591	6	101080SC	126.00	111.00	108.00	105.00	Dia.
1.5mm	8	101081SC	132.00	118.00	115.00	111.00	
0.0625	6	100683SC	126.00	111.00	108.00	105.00	2"
1/16"	8	101101SC	132.00	118.00	115.00	111.00	
	10	100687SC	139.00	123.00	120.00	117.00	L O N G
0.0700	6	100684SC	130.00	116.00	112.00	109.00	
	8	101131SC	137.00	121.00	118.00	115.00	
	10	101132SC	143.00	126.00	123.00	121.00	T A P E R E D
0.0781	6	100685SC	130.00	116.00	112.00	109.00	
5/64"	8	101151SC	137.00	121.00	118.00	115.00	
	10	100688SC	143.00	126.00	123.00	121.00	U N D E R C U T
0.0787	6	101170SC	130.00	116.00	112.00	109.00	
2mm	8	101171SC	137.00	121.00	118.00	115.00	
	10	101172SC	143.00	126.00	123.00	121.00	U N D E R C U T
0.0890	6	101200SC	136.00	120.00	117.00	114.00	
#43	8	101201SC	142.00	125.00	123.00	120.00	
	10	101202SC	149.00	131.00	128.00	125.00	U N D E R C U T
0.0937	6	100686SC	136.00	120.00	117.00	114.00	
3/32"	8	101221SC	142.00	125.00	123.00	120.00	
	10	100692SC	149.00	131.00	128.00	125.00	U N D E R C U T
0.0984	6	101250SC	136.00	120.00	117.00	114.00	
2.5mm	8	101251SC	142.00	125.00	123.00	120.00	
	10	101252SC	149.00	131.00	128.00	125.00	U N D E R C U T
0.0995	6	101255SC	136.00	120.00	117.00	114.00	
#39	8	101256SC	142.00	125.00	123.00	120.00	
	10	101257SC	149.00	131.00	128.00	125.00	U N D E R C U T
0.1015	6	101260SC	136.00	120.00	117.00	114.00	
#38	8	101261SC	142.00	125.00	123.00	120.00	
	10	101262SC	149.00	131.00	128.00	125.00	U N D E R C U T
0.1065	6	101265SC	136.00	120.00	117.00	114.00	
#36	8	101266SC	142.00	125.00	123.00	120.00	
	10	101267SC	149.00	131.00	128.00	125.00	U N D E R C U T
0.1094	6	100693SC	136.00	120.00	117.00	114.00	
7/64"	8	101271SC	142.00	125.00	123.00	120.00	
	10	100694SC	149.00	131.00	128.00	125.00	↓

Solid Carbide Gundrills are constructed of one piece of carbide. Greater rigidity and lack of torque while in the cut, yields faster feed rates, 2-3 times faster than conventional 3-piece construction tools. Solid Carbide tools are available in diameters from .0394" to .3125". Larger diameters are also available for certain applications, made to order. Stocking arrangements can be made upon request

Same Day Shipment

Solid Carbide Gundrills

0.1181" Dia. To 0.3125" Dia.

Dia.	OAL	Item#	1	2-5	6-11	12-24	Driver
0.1181	6	101300SC	136.00	120.00	117.00	114.00	↑
3mm	8	101301SC	142.00	125.00	123.00	120.00	
	10	101302SC	149.00	131.00	128.00	125.00	
0.1250	6	100696SC	136.00	120.00	117.00	114.00	1/2" Dia.
1/8"	8	101341SC	142.00	125.00	123.00	120.00	
	10	100697SC	149.00	131.00	128.00	125.00	
	12	101343SC	151.00	134.00	130.00	127.00	
0.1378	8	101381SC	142.00	125.00	123.00	120.00	x
3.5mm	10	101382SC	149.00	131.00	128.00	125.00	
0.1406	8	101411SC	142.00	125.00	123.00	120.00	2" L O N G
9/64"	10	101412SC	149.00	131.00	128.00	125.00	
	12	101413SC	151.00	134.00	130.00	127.00	
0.1562	8	101441SC	136.00	120.00	117.00	114.00	T A P E R E D
5/32"	10	101442SC	149.00	131.00	128.00	125.00	
	12	101443SC	151.00	134.00	130.00	127.00	
0.1575	8	101471SC	136.00	120.00	117.00	114.00	U N D E R C U T
4mm	10	101472SC	149.00	131.00	128.00	125.00	
	12	101473SC	151.00	134.00	130.00	127.00	
0.1719	8	101501SC	140.00	124.00	122.00	117.00	U N D E R C U T
11/64"	10	101502SC	147.00	129.00	126.00	123.00	
	12	101503SC	155.00	135.00	131.00	128.00	
0.1875	10	101532SC	147.00	129.00	126.00	123.00	U N D E R C U T
3/16"	12	101533SC	155.00	135.00	131.00	128.00	
0.1968	10	101572SC	149.00	131.00	128.00	125.00	U N D E R C U T
5mm	12	101573SC	155.00	135.00	131.00	128.00	
0.2031	10	101602SC	149.00	131.00	128.00	125.00	U N D E R C U T
13/64"	12	101603SC	155.00	135.00	131.00	128.00	
0.2187	10	101632SC	149.00	131.00	128.00	125.00	U N D E R C U T
7/32"	12	101633SC	155.00	135.00	131.00	128.00	
0.2344	10	101662SC	153.00	135.00	131.00	128.00	U N D E R C U T
15/64"	12	101663SC	161.00	141.00	137.00	134.00	
0.2362	10	101692SC	153.00	135.00	131.00	128.00	U N D E R C U T
6mm	12	101693SC	161.00	141.00	137.00	134.00	
0.2500	10	101722SC	188.00	166.00	162.00	158.00	U N D E R C U T
1/4"	12	101723SC	198.00	172.00	168.00	164.00	
0.2656	10	101742SC	208.00	164.00	159.00	151.00	U N D E R C U T
17/64"	12	101743SC	219.00	173.00	169.00	162.00	
0.2812	10	101772SC	228.00	184.00	179.00	175.00	↓
9/32"	12	101773SC	239.00	194.00	189.00	182.00	
0.2969	10	101802SC	249.00	205.00	200.00	192.00	↓
19/64"	12	101803SC	260.00	215.00	210.00	203.00	
0.3125	10	101852SC	270.00	225.00	221.00	213.00	↓
5/16"	12	101853SC	280.00	235.00	230.00	223.00	

Worksheet

Solid Carbide Gundrills

0.0394" Dia. To 0.3125" Dia.

